

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**






INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F 19/00		A2	(11) International Publication Number: WO 00/65522
			(43) International Publication Date: 2 November 2000 (02.11.00)
(21) International Application Number: PCT/US00/11390 (22) International Filing Date: 28 April 2000 (28.04.00) (30) Priority Data: 60/131,434 28 April 1999 (28.04.99) US (71) Applicant: SOFTWARE PARTNERS [US/US]; 732 Poinsettia Park North, Encinitas, CA 92024 (US). (72) Inventor: KIRNAK, Alean; 732 Poinsettia Park North, Encinitas, CA 92024 (US). (74) Agent: HUNT, Dale, C.; 16th Floor, 620 Newport Center Drive, Newport Beach, CA 92660 (US).		(81) Designated States: AE, AG, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, DZ, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (Utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>	

(54) Title: **ELECTRONIC MEDICAL RECORD REGISTRY INCLUDING DATA REPLICATION**

(57) Abstract

In one aspect, the invention may include an electronic medical record registry system, comprising a display program (204a, 204b) capable of displaying a registered electronic medical record, a plurality of medical service provider databases (200), each medical service provider database comprising of a plurality of electronic medical records, each electronic medical record including information indicative of a patient history associated with the respective medical service provider, and a registry repository (104), having a main registry database with a plurality of registered electronic medical records. The invention may also include a match/merge program (206) capable of deduplicating the electronic medical records associated with the medical service provider databases, based on unique patient information, to form the registered electronic medical record with the most complete patient history.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

ELECTRONIC MEDICAL RECORD REGISTRY INCLUDING DATA REPLICATIONBackground of the InventionField of the Invention

5 This invention relates to managing records stored in a distributed network of databases, and more particularly, to the transfer of electronic medical records from heterogeneous databases via computers across local networks and the Internet into a central registry database where the records may be merged for presentation.

Description of the Related Technology

10 A database of electronic medical records may be constructed with numerous off-the-shelf computer software programs including, for example, Oracle's database products (including SQL processor), BEA's Weblogic Server and Weblogic Enterprise, and Sybase's PowerBuilder (for constructing graphical user interface) programs. Deduplication or match/merge algorithms, and database replication algorithms may be constructed with such tools. Furthermore, transactions relating to other databases may be facilitated by using a standard for electronic interchange of information such as, for example, Health Level Seven (HL7).

15 A database is a collection of information organized in such a way that a computer program can quickly select desired pieces of data. One can think of a database as an electronic filing system. Increasingly, the term database is used as shorthand for database management system.

Traditional databases are organized by fields, records, and files. A field is a single piece of information; a record is a set of fields; and a file is a collection of records. For example, a telephone book is analogous to a file. It contains a list of records, each of which consists of three fields; name, address, and telephone number

20 A field is space allocated for a particular item of information. A tax form for example, contains a number of fields: one for your name, one for your social security number, one for your income, and so on. In database systems, fields are the smallest unit of information one can access. Most fields have certain attributes associated with them. For example, some fields are numeric whereas others are textual, some are long, while others are short. In addition, every field has a name, called the field name. In database management systems, a field can be required, optional, or
25 calculated. A required field is one in which one must enter data, while an optional field which can remain blank.

Table refers to data arranged in rows and columns. A spreadsheet, for example, is a table. In relational database management systems, all information is stored in the form of tables. A relational database management system (RDBMS) is a type of database management system that stores data in the form of related tables. Relational databases are powerful because they require fewer assumptions about how data is related or how it will be extracted
30 from the database. As a result, the same database can be viewed in many different ways. An important feature of relational systems is that a single database can be spread across several tables. This differs from flat-file databases, in which each database is self contained in a single table.

Electronic medical records (EMR) contain information about a patient and their medical history. In addition, these records may also contain personal information, current address, and immunization records. Each health care
35 organization or insurance provider will have a collection of EMRs stored in a database. A point of service care provider

is any institution or office that provides medical services such as immunizations and examinations, to patients and will have or access a database of EMRs.

Private care databases refers to the network of private care service providers who maintain their own databases and are willing to share electronic patient information and in some cases request the changes be updated to their servers. The problem becomes how to share patient medical history information which is electronically stored as EMRs across a distributed computing environment.

Processing electronic medical records has been the subject of prior patents including U.S. Patent Nos. 5,277,188 (Clinical Instruction Reporting System), 5,099,424 (Model User Application System For Clinical Data Processing That Tracks And Monitors A Simulated Out-Patient Medical Practice Using Database Management Software), 4,315,309 (Integrated Medical Test Data Storage And Retrieval System), and 3,872,448 (Hospital Data Processing System). However, none have addressed the problem of combining heterogeneous database records in a central database.

"Deduplication" is the *elimination of duplicate records for presentation purposes*, such as two records for the same immunization, which may be present, for example, because two or more providers recorded the same immunization in their database. Only one provider could have given the shot, but for historical reasons, the shot could have been recorded more than once. Multiple sourced records for the same patient are often not duplicates as they may contain slightly different information. It is sometimes helpful to use the term "deduplication" to refer to the identification and elimination of multiple-sourced historical records for the same immunization.

Match/merge is the combining of patient (demographic, immunization, etc.) records from multiple sources into a medical (immunization) history for a single patient. Often, "deduplication" is the term used to refer to this process as often, some of the multiple sourced patient records are considered redundant and are discarded or "deduplicated." Here, however, records from all sources are considered valid and valuable and hence are not discarded, but rather manipulated in order to present the patient's medical history to each particular user in the appropriate, most meaningful way. Matching may mean drawing together the multiple-sourced records for a single individual. Merging may mean ordering the matching records to produce a single, rational and correct patient immunization history stored in the main registry database.

To combine EMRs across databases, one needs a way to exchange data stored in varying formats. For instance, Health Level Seven (HL7) which is an ANSI-accredited Standards Developing Organizations (SDO) operating in the healthcare arena. The HL7 specification, Application Protocol for Electronic Data Exchange in Healthcare Environments, is a messaging standard that enables disparate healthcare applications to exchange data. Using the Health Level Seven standard to exchange data between systems saves time and money by eliminating the need to re-key data into multiple systems and/or to develop custom interfaces that would otherwise enable two systems to exchange data. As mentioned above, An Application Protocol for Electronic Data Exchange in Healthcare Environments defines messages for data that are exchanged between applications based on a particular trigger event.

A message is comprised of multiple segments that must be sent in a particular order and which may or may not repeat. Segments are collections of data elements that typically share a common subject.

5 A graphical user interface (GUI) is a program interface that takes advantage of the computer's graphics capabilities to make the program easier to use. Well-designed graphical user interfaces can free the user from learning complex command languages. On the other hand, many users find that they work more effectively with a command-driven interface, especially if they know the command language. Graphical user interfaces, such as Microsoft Windows and the one used by the Apple Macintosh, feature the following basic components:

- 10 • pointer: A symbol that appears on the display screen and that one moves to select objects and commands. Usually, the pointer appears as a small angled arrow. Text processing applications, however, use an I-beam pointer that is shaped like a capital I.
- pointing device: A device, such as a mouse or trackball, that enables one to select objects on the display screen.
- 15 • icons: Small pictures that represent commands, files, or windows. By moving the pointer to the icon and pressing a mouse button, one can execute a command or convert the icon into a window. One can also move the icons around the display screen as if they were real objects on your desk.
- desktop: The area on the display screen where icons are grouped is often referred to as the desktop because the icons are intended to represent real objects on a real desktop.
- windows: One can divide the screen into different areas. In each window, one can run a different program or display a different file. One can move windows around the display screen, and change their shape and size at will.
- 20 • menus: Most graphical user interfaces let one execute commands by selecting a choice from a menu.

The term browser is short for web browser, a software application used to locate and display web pages from a web server. Two examples of web browsers are Netscape Navigator and Microsoft Internet Explorer. Both of these are graphical browsers; which means that they can display graphics as well as text.

25 A three-tier system is a special type of client/server architecture consisting of three well-defined and separate processes, each running on a different platform:

1. The user interface, which runs on the user's computer (the client);
2. The functional modules that actually process data. This middle tier runs on a server and is often called the application server; and
- 30 3. A backend or database server. A database management system (DBMS) stores the data required by the middle tier. This tier runs on a second server called the database server. This middle tier may further be decomposed into 2 or more tiers, resulting in an "N-tier" architecture. The three-tier design has many advantages over traditional two-tier or single-tier designs, the chief ones being:

- The added modularity makes it easier to modify or replace one tier without affecting the other tiers.

- Separating the application functions from the database functions makes it easier to implement load balancing.
- The application may be accessed using a browser.

5 It is important for users to be able to access the databases via standard interface such as the Internet and World Wide Web. A web server is a computer that delivers (serves up) Web pages. Every Web server has an IP address and possibly a domain name. For example, if one enters the URL <http://www.pcwebopedia.com/index.html> in your browser, this sends a request to the server whose domain name is pcwebopedia.com. The server then fetches the page named index.html and sends it to your browser.

10 Any computer can be turned into a Web server by installing server software and connecting the machine to the Internet. There are many Web server software applications, including public domain software from NCSA and Apache, and commercial packages from Microsoft, Netscape and others.

15 In addition to real-time updates of databases, one may consider "batch" processing. Batch uploads refers to executing a series of non-interactive jobs all at one time. Usually, batch uploads are stored up during working hours and then executed during the evening or whenever the computer is idle. Batch uploading is particularly useful for operations that require the computer or a peripheral device for an extended period of time. Once a batch upload begins, it continues until it is done or until an error occurs. Note that batch uploading implies that there is no interaction with the user while the program is being executed.

20 In the database technology, a view is a term meaning a selected subset of existing database tables, rows, and columns for purposes of creating a particular type of presentation for a user, through a graphical user interface. This definition may include "provider" views and "patient" views which are types of views returned for specific users.

Summary of the Invention

25 In one aspect, the invention may include an electronic medical record registry system, comprising: a display program capable of displaying a registered electronic medical record; a plurality of medical service provider databases, each medical service provider database comprising of a plurality of electronic medical records, each electronic medical record including information indicative of a patient history associated with the respective medical service provider; and a registry repository comprising a main registry database with a plurality of registered electronic medical records. There is also a match/merge program capable of deduplicating the electronic medical records associated with the medical service provider databases, based on unique patient information, to form the registered electronic medical record of the most complete patient history.

30 In other aspects, the match/merge program may include the capability to assign a unique patient identifier to each patient and assigning that same identifier to each medical service provider database record stored in the main registry database. The registry system may additionally comprise the capability to replicate at least a portion of the main registry database. The invention may be configured to operate over both a network and the Internet, and the electronic medical record display software may include a plug-in to a commercial product such as, for example, 35 Microsoft Internet Explorer and Netscape Navigator/Communicator. The HL7 is a standard by which communication

between a main registry database and other private or public databases can transfer electronic medical records in a standardized form.

An additional aspect of the invention includes a method of storing and accessing electronic medical records, comprising storing electronic medical records associated with a first medical service provider at a first data repository, storing electronic medical records associated with a second medical service provider at a second data repository, for common patients of the first and second medical providers, merging the information contained in the electronic medical records associated with the first and second locations, and providing selective viewing of the merged electronic medical records according to whether the merged electronic medical records are accessed by the first or second medical service provider. This additionally comprises a method wherein the merging occurs at central data repository. This additionally comprises a method wherein the merging includes linking the merged electronic medical records via a unique patient identification. This additionally comprises a method wherein the merging does not result in creation of a storage location for a new record. This method additionally comprises replicating the merged electronic medical records to selected ones of the data repositories. This additionally comprises a method wherein the viewing includes limiting the modification of patient information in the merged electronic medical record only to patient information associated with the electronic medical records of the accessing medical service provider. This additionally comprises a method wherein the electronic medical records comprise immunization data. This additionally comprises a method wherein the first and second data repositories are located, respectively, at facilities managed by the first and second medical service providers.

Brief Description of the Drawings

Figure 1 is a pictorial diagram representing the possible flow of information from computer to computer over a network connection.

Figure 2 is a block diagram that illustrates one embodiment of the basic architecture for the flow of information and the interfaces that are available to the main registry database shown in Figure 1.

Figure 3 is an example of two electronic medical records stored in the main registry database that demonstrates the different information that providers may record.

Figure 4 is an example of a provider view for provider "A." This constitutes the information in the database available to provider "A."

Figure 5 is a similar view to Figure 4, but the information in this table refers to entries made by provider "B."

Figure 6 is a diagram that shows how electronic medical records in a database are combined to create a patient view – a single medical history – for any given patient. Figure 7 is a view from the database that reflects information that was entered into the database from the specific providers.

Figure 8 is an example of the patient search screen of the database user interface first shown in Figure 2.

Figure 9 is an example of the demographic information screen that a point of care service provider would see after querying the database.

Figure 10 is an example of the patient immunization information screen showing the immunization summary and a vaccine forecast as well as the immunization detail.

Detailed Description of Certain Inventive Embodiments

The following detailed description is directed to certain specific embodiments of the invention. However, the invention can be embodied in a multitude of different ways as defined and covered by the claims. In this description, reference is made to the drawings wherein like parts are designated with the like numerals throughout.

There is a significant amount of information that is recorded regarding patient immunizations. The focus of this system is to allow all of the point of service care providers to become part of a network that is updated with immunization information from both private and public databases which are willing to share electronic medical records. The information collected from all of the cooperating individual databases can be requested by any registered point of service provider and then displayed, without duplicate data, and without compromising the integrity of the database the information was derived from.

An information request may be sent to the main registry database and transferred according to HL7 standards and the use of primary keys of reference in both databases. Then the electronic records are processed through a match/merge algorithm, to identify the multiple sourced records belonging to a single patient, and provide a completed patient history at the point of service. The records are then assigned an Immunization Patient Identification (IPID) number that corresponds to the individual patient. After all of the records are assembled into a complete medical history, each database can be updated with the assembled information for future reference.

Figure 1 shows the highest-level diagram for the network including the first tier and a combined second and third tier of a three-tier system. The second, or middle tier, is where all of the complex algorithms are contained. The user has the option of ascertaining immunization records from the database through various means. Generally speaking, a user can access the database through a computing device. A computing device 101 is defined as, but not limited to, a personal computer (PC), a handheld computer, a cell phone, or a thin client terminal. The computer 101 then sends the information request across a network 102 and 103.

A network 102 is a connection of two or more computers with a secure link and allowing them to communicate and share information. In most systems it is desired to have a secure link. These networks 102 are connected via a virtual private networks (VPN), dedicated phone lines, or through a web server for an Internet connection 103, or a combination of the previous, directly into a main registry database 104 to allow for real time electronic data exchange.

In this diagram, the main registry database 104 itself is an umbrella term for the inner workings of the second and third tiers, which cover the specifics of the HL7 interface 210, the store and forward replication server 208, the web server interaction 212, the match/merge module 206, the query server, and the backend database.

Before elaborating on the internal architecture, there is some background associated with EMRs that should be understood. In particular, the present invention may have specific application to immunization records, but this application shall not be considered limiting.

A "medical home" or "golden record" is the idea that at any one time there is one predominant or current record for a given patient associated with just one provider. In the main registry database, this issue is a non-issue because the structure of the database and application allow each provider to "feel" that their record is the "golden record" or "current one."

5 Some providers may require having their own copy of the patient and immunization data with a subset of the registry data (their own patient records plus immunization data from other sources for just their patients) at their site. Later in this paper, we refer to this provider subset of registry data as the "provider view."

10 In cases where the provider has its own data, the provider may not be directly connected to the registry database. The registry and the provider may need to update each other with the changes to their databases via batch upload and downloads.

Updates to synchronize data in both directions may need to be more frequent than would be feasible by doing periodic batch loads. Batch loads are often bulky and, if there is significant volume, may only be feasible for each provider on a weekly, biweekly or monthly basis. Replication allows updates on an incremental, automatic basis. With replication, updates on copies of data can occur within hours, minutes or seconds of the update of the original. To
15 implement replication, it is necessary to cleanly partition data so that remote systems can clearly express what subset of data they are interested in.

Some larger providers who have their own applications and database desire to connect to the registry by sharing information in real-time. In order to facilitate real-time updates between the registry and the different systems maintained by the providers a standardized data interchange protocol has to be used. HL7 is an example of a standard
20 protocol used by the health industry for data interchange.

A real-time HL7 data replication module would include an HL7 interface and a store and forward message queue. Connectivity between the registry and the remote providers may be established either by dedicated lines or by using virtual private network (VPN) technology through the Internet. A virtual private network is a network that is constructed by using public wires to connect nodes. For example, there are a number of systems that enable one to
25 create networks using the Internet as the medium for transporting data. These systems use encryption and other security mechanisms to ensure that only authorized users can access the network and that the data cannot be intercepted.

An Immunization Patient ID (IPID) may never actually exist outside of the immunization registry. Existing identifiers such as Social Security Numbers are not candidates for a variety of reasons – SSN's do not make
30 particularly good identifiers for database systems, especially when applied in retrospect. Therefore, in certain embodiments, a method of assigning and maintaining IPIDs must exist within the design of the registry.

Likely candidates for assigning such identifiers are either the main registry database or the SIIS hub (which is the State Immunization Information System). Generally, the provider cannot assign it as it does not have access to the records outside his provider view.

Figure 2 shows the basic architecture for the system. A registered user has the option of retrieving patient information by various routes. One example would be, a non-browser GUI client 204b that could be found in the office of a public health care provider, and another example would be through an Internet browser based GUI client 204a that allows registered users to access the main registry databases 104 either through private care "interested" database 200 computers or even through a generic Internet connection 103.

Private and public care "interested" databases 200 – refers to the network of private or public care service providers who maintain their own databases and are willing to share electronic patient information and in some cases request the changes be updated to their servers.

The web browser 204a is the front-end application of choice because it eliminates the necessity of client application upgrade and management. The web browser 204a is a thin client and does not require expensive hardware to run. Also the web browser 204a enables the user to access the Internet 103 as the means of communication.

After the point of service care provider has entered the system through an approved method, then the second or middle tier 202 on the architecture comes into play. This is where the web server 212 provides browser support via web pages, and the queries are directed to the proper receptor. All three methods of entering the second tier flow through the next module, the store and forward replication server 208.

The store and forward message queue or the replication server 208 is the middle tier 202 component that completes the real-time updates between the remote servers and the other databases 200. The replication server 208 manages a list of subscribers and forwards all updates to remote subscribers. It stores the updates locally until it receives a confirmation that the remote server actually received the updates. This ensures that the updates to the remote servers are done at least once and only once. The replication server will also "listen" for messages from the remote servers and forward them to the main registry for processing 104.

Simultaneously, the information queries will be processed through a standard data format interchange server, or in one embodiment an HL7 server 210 to ensure that the information exchange is being conducted according to industry standards. The HL7 interface 210 would be another application on the middle tier 202. The interface takes care of translating messages to and from HL7 format. Real time data exchange with remote servers takes place using the HL7 format and the HL7 interface is used to convert incoming HL7 messages into the format of the main registry database 104 and is also used to convert outgoing messages into HL7 format. This interface 210 can also be used for batch uploads and downloads where the data is in HL7 format. The translation from the database format to HL7 may be done before or after queuing.

Even after the registry 104 is equipped with real-time update capability, there may be point of service care providers who are not be able to either connect to the registry directly or send and receive real time updates. In such cases batch upload and down load processes may be used to transfer data between the main registry database 104 and the other "interested" data sources 200. The data files used for batch transfer may be in customized or standardized format. One of the standard formats for batch file could be the HL7 interface 210. Once the main registry database 104 is web enabled, a file transfer protocol (FTP) location can be created for drop and pickup of batch files.

Next, the information requests are processed through the match/merge module 206. Match/merge 206 refers to the combining of electronic medical records from multiple sources into an immunization history for a single patient. This is often what is meant by "de-duplication." Matching can mean drawing together the multiple-sourced records for a single individual. Merging can mean ordering the matching records to produce a single, rational and correct patient immunization history.

"Deduplication" refers to the *elimination of duplicate records for presentation purposes*, such as two records for the same immunization, which may be present, for example, because two or more point of service care providers recorded the same immunization in their database. Only one provider could have given the shot, but for historical reasons, the shot could have been recorded more than once. Multiple sourced records for the same patient are often not duplicates as they may contain slightly different. The word "duplicates" and "deduplication" may cause confusion with what is actually considered match/merge. However, it is sometimes helpful to use the term "deduplication" to refer to the identification and elimination of multiple-sourced historical records for the same immunization.

All of the information is stored and retrieved from the main registry database 104. The ultimate goal of the main registry database 104 is to enable a higher rate of immunization coverage. The role of the registry 104 is to be the most complete source of immunization information. The more complete patient history the main registry database 104 can provide about a patient's electronic medical records, the easier it will be for the point of service care providers and the health department to ensure that the patients are up to date with required health data such as vaccinations.

In order to collect more information, the main registry database 104 has to be connected with as many information sources as possible. For this, the registry has to be receptive to information through various channels and in various formats – at least initially. In one embodiment, information standards have to be established or adopted if already existing.

Within the registry information, it is an advantage to be able to identify patient immunization records with a unique "key." To solve this issue, an Immunization Patient Identification (IPID) number is assigned to all of the records in the database. These IPID's solve the problem of match/merge 206 in one embodiment. The main registry database 104 provides an opportunity to assign, and from then on, use an IPID to denote each patient.

The main registry database 104 is capable of presenting multiple views for individual private care providers that relate directly to their information needs.

Figure 3 shows an extract of the main registry database. Patient and immunization records are created when point of care service providers 302 enter them or submit them in a batch file. All patient and immunization records entered by a provider 302, whether by a directly connected provider or received by a batch upload, are kept intact in the main registry database 104. That is, they are not eliminated, discarded, or merged with other records for the same patient from other providers. Thus, providers have their own subsets of records in the registry database 104. Some of the fields where data is stored in the registry database 104 are the provider 302, ID 304, IPID 306, patient last name 308, patient first name 310, the patient's gender 312, date of birth 314, type of immunization administered 316, date of immunization 318, etc.

The table shown in Figure 3 shows two providers individual entries into the main registry database 104. Provider "A" 320 has three electronic medical records entered and provider "B" 322 has three electronic medical records. Both "Smith" and "Black" contain repeated information that would be filtered by the match/merge algorithm 206.

5 Providers can view (1) data entered by them; (2) relevant portions of data entered by other providers that constitute immunization records for their patients (provided proper disclosure forms have been obtained); and (3) some information on other patients as returned by the patient search screen, for purposes of finding existing registry records for a new patient of theirs. But providers can only edit information that is entered by them. They cannot modify other providers' records.

10 This, the provider's "view" of the from the main registry database 104, is what is called "provider view." In one embodiment, a private care provider has the subset of data described as a "provider view." Monthly, a private care provider and the registry exchange data in the following manner:

- A private care provider sends the main registry database 104 a file with all electronic medical records for their patients
- 15 • The current private care provider records are deleted from the main registry 104 and replaced by the contents of the file. (In the absence of a good method of tracking just the changes, this was deemed the most accurate method of maintaining correctness in the update process).
- The registry creates a file having all of the electronic medical records from other point of service care providers for patients of a private care provider.
- 20 • A private care provider loads this file, and so now has all current immunization records from the registry for their patients.

A provider may get a peek at the entire registry database 104, including electronic medical records outside its "view," when a new patient walks in or when a search is made on a partial name. In these cases, a broader view of the set of records contained in the registry 104 is shown to him so that he may (1) view the already-existing electronic medical records of a new patient; or (2) correctly select the patient from a set of existing possibilities. If an existing record is selected, a record is created for that patient and it is added to the main registry 104, and this new record, along with the other electronic medical records for that patient, become part of the main registry database 104 and part of this provider's "provider view."

Figure 4 shows what provider "A" sees when querying electronic medical records from the main registry database 104. After all of the information is filtered through the middle tier 202, including the match/merge module 206, the output to the GUI 204 shows all patient entries towards the top of the table with all of the other providers located directly below. This table contains all of the information as Figure 3 including provider 302, ID 304, last name 308, first name 310, gender 312, DOB 314, type of immunization 316, and date of immunization 318. One difference

is that "Lucy Lu" is not included because provider "A" does not have electronic medical records for her prior to the information request.

Figure 5 is another provider view out of the main registry database 104. The electronic medical records requested by provider "B" are shown as well as the records in the main registry database 104 that have the same names or associated information including the data items or fields 302, 304, 308, 310, 312, 314, 316, and 318. Since "Jenny Jones" was not a patient of provider "B" prior to the information request, her information is excluded from the display.

One will recognize that the selection of fields in the EMRs is completely open and not limited to the examples shown. It is also noted that the present invention is not limited to storing records related to immunization.

Figure 6 illustrates the manner in which match/merge 206 and the creation of the "patient view" are carried out from the main registry database 104. When the point of service care provider finds and selects a record from the main registry database 104, at that time, the multiple-sourced electronic medical records for a single patient "matches" are identified based on the match/merge algorithm 206. The information all matching records are merged to form one "patient view."

As previously discussed, the registry database 104 contains multiple patient tables 300 collected from the different sources. The point of service care provider, instead of having to go through the matching patient and electronic medical records, sees just the complete "patient view." All information related to the patient, such as demographic, immunization and TB information is derived by the union of the information in all the matching records. In effect, before displaying any information related to a patient, all possible matching records are identified and merged and the final result set is presented, arranged in order. True duplicates – duplicate records of a single immunization event, e.g., records 604 and 606, – are collapsed and presented to the user as a single event record 610. This is where the match/merge module 206 compiled the information about the patient from all available sources 104 and 200. The result is that if duplicate entries exist on any other electronic medical records then only one of the duplicated is displayed 610 at the GUI 204.

Matching and the creation of the "patient view" are handled automatically by the application in the middle tier 202, possibly with assistance from the user. In one embodiment, users may manually select from a list of matches and/or validate previously selected matches. In another embodiment, the point of service care provider may have the option to override the match/merge module 206 and manually identify other records as matches, or currently linked records as non-matches, and link or unlink them.

Figure 7 is an example of what a provider would see. All point of service care providers who access a given patient's information see the same information for that patient. That is because the "patient view" is unique for a given patient. So no matter which provider retrieves the patient's information, they would all see the same information for that patient.

But since providers can only modify their own electronic medical records, they may see other provider's records grayed out and in a non-editable format. If a patient went to two providers "A" and "B", provider "A" would

see the patient's electronic medical record as a set of records entered by him plus a set of records entered by other providers and marked as non-editable. Similarly provider "B" will see the patient's records as a set of records entered by him and a set of records entered by other providers and marked as non-editable.

5 In this manner every provider sees their own "patient view" and has the feeling that it is the "medical home" for that patient and that its record is the "current" or "golden" record for that patient. The problem of locating a medical home for a patient's EMR is solved and nothing special is done in software to produce this effect.

Before displaying any information related to a patient, all possible matching records are identified and the data is processed through the match/merge module 206 to remove any duplicate electronic medical record entries. We again see the patient tables 300, two duplicate event records 604 and 606 as they are denoted in gray to denote a repeat, and lastly the matched and merged results at provider "A" 706, 708, and at provider "B" 712, and 714.

Each provider is shown his own demographic record and the combined electronic patient history. Electronic medical records from other sources are shaded and non-editable; and may show only partial information due to patient confidentiality. An example is that both providers have an electronic record for "John Smith" receiving an immunization at their points of service, exemplified by EMRs 704 and 710, therefore, both provider "A" and "B" see the entry in white and are able to edit the entry.

Figure 8 is a patient search screen in one embodiment of the invention. The GUI 204 first allows the point of service care provider to search for electronic medical records from the main registry database 104. Once the patient's name is entered 801, registry entries with similar information will appear 801. Its own records 802 will appear to the point of service care provider in white boxes also allowing them to edit those specific entries. If the electronic medical records appear in a gray shaded box 804, then the source is from another point of service care provider and the amount of information presented is limited as well as the ability to edit the shaded fields. The GUI will also tell you how many electronic medical records matched your searching criteria 806.

Figure 9 is a patient demographic screen 900 in one inventive embodiment. This figure provides more specific patient information than Figure 8. This is where all of the detailed information about specific patients is contained. Information such as name 902, address 904, ethnicity 906, spoken language 908, etc. This view will also provide you with other similar patient matches. In this case, the patient name is the same, but the address information is different.

Figure 10 is a set of patient immunization information screens, one regarding the immunization summary and vaccination forecast 1000, and the other the immunization detail 1002. The summary and vaccination forecast screen 1000 shows the entire immunization history for the patient on the left hand side 1004. It also suggests the next immunization date 1006. The other screen of the immunization detail is the view of the consolidated information that was produced by the match/merge module 206 from both the home electronic medical records as well as those from other point of service care providers. Again, the home records are shown in white 1008 and the other point of service care provider records are shaded in gray 1010.

The database design, provider views, patient views, and methods of matching and merging multiple sourced medical records described above enable the following algorithm to be implemented to perform real-time updates of patient records among the homogeneous or heterogeneous databases of participating providers:

A patient walks in to a provider office to get an immunization.

5

1. The patient is looked up in the local database by demographic criteria or by IPID (if by demographic criteria, simple or complex searching algorithms may be used).

Either:

10

- 1.1. The patient is found in the local database

15

- 1.1.1. Select the patient, then bring up his demographic data and immunization history.
 - This is done by selecting all demographic/immunization records marked with this same IPID.
 - Update the record (add an immunization, optionally update the demographic record, etc.).

20

- 1.1.2. Propagate the changes to the registry via an HL7 unsolicited update.
 - This will amount to an update of a patient record and an insert of an immunization record.

- 1.1.3. The registry propagates the change via the same to the SIIS hub and to other interested providers.
 - This will be done by recalling the patient records with matching IPIDs and determining from them a list of interested providers.

25

- 1.1.4. The hub propagates it to other "interested" registries.

Or

30

the patient is not found in the local database.

Extend the search to the registry.

35

- The HL7 requirement is to query using demographic information and to respond by giving a series of records with enough additional demographic information to allow the user to narrow the search and select one. Simple or complex matching algorithms may be used.

Either:

the patient is found in the registry

40

Select the patient, then bring up his demographic data and immunization history

- Request and receive, via an HL7 query/response all demographic and immunization records marked with this same IPID.
- The HL7 requirement thus becomes to be able to give a IPID, or a <source, ID> primary key, and return all patient/immunization records that match.

45

Save the rows from the registry in this database.

50

Add a new record to the provider's database for the patient, setting <source ID> = <this provider> and <IPID> = <the IPID of the records retrieved from the registry database>. (The provider does not have a record for this patient else the extended search would not have been done).

Propagate the change via an HL7 unsolicited update to registry, and from the registry to the SIIS hub (and from the hub to other "interested" registries) as in Step 1.1.2 above

5 Or

1.1.4.1. the patient is not found in registry.

10 1.1.4.1.1. Extend the search to another connected registry, if any, as in 1.2.1.

Either:

1.1.4.1.1.1. the patient is found in the connected registry.

15 1.1.4.1.1.1.1. Repeat 1.2.1.1.1

Or

20 1.1.4.1.1.2. the patient is not found in the connected registry. The patient has to be inserted into the provider's database as a new patient, and the addition will be propagated to the registry, then from the registry to any connected registry, as an HL7 unsolicited update.

25 The new patient must be assigned an IPID now

The IPID assigned must be forwarded to all "interested" providers in the form of an unsolicited update.

30 In one particular embodiment, the invention includes a gathering process of taking immunization records from a government database and making them available as supplemental information to both local public health care providers as well as private care providers. This information is validated with an immunization personal identification (IPID) number and then combined to complete the patients immunization history at any point of service.

35 Specific blocks, sections, devices, functions and modules may have been set forth. However, a skilled technologist will realize that there are many ways to partition the system of the present invention, and that there are many parts, components, modules or functions that may be substituted for those listed above.

While the above detailed description has shown, described, and pointed out the fundamental novel features of the invention as applied to various embodiments, it will be understood that various omissions and substitutions and changes in the form and details of the system illustrated may be made by those skilled in the art, without departing from the intent of the invention.

40

WHAT IS CLAIMED IS:

1. An electronic medical record registry system, comprising:
a display program capable of displaying a registered electronic medical record;
a plurality of medical service provider databases, each medical service provider database
5 comprising of a plurality of electronic medical records, each electronic medical record including information
indicative of a patient history associated with the respective medical service provider; and
a registry repository comprising a main registry database with a plurality of registered electronic
medical records.
2. The system of Claim 1, additionally comprising a match/merge program capable of deduplicating
10 the electronic medical records associated with the medical service provider databases, based on unique patient
information, to form the registered electronic medical record of a complete patient history.
3. The system of Claim 2, wherein the match/merge program includes the capability to assign a
unique patient identifier to each patient and assigning that same identifier to each medical service provider database
record stored in the main registry database.
- 15 4. The system of Claim 1, additionally comprising the capability to replicate at least a portion of the
main registry database to the medical service provider databases.
5. The system of Claim 1, configured to operate over both a network and the Internet.
6. The system of Claim 1, wherein a standard data exchange format is used between the main
registry database and medical service provider databases to transfer electronic medical records in a standardized form.
- 20 7. The system of Claim 6, wherein the standard data exchange format is HL7.
8. A method of storing and accessing electronic medical records, comprising:
storing electronic medical records associated with a first medical service provider at a first data
repository;
storing electronic medical records associated with a second medical service provider at a second
25 data repository;
for common patients of the first and second medical providers, merging the information contained
in the electronic medical records associated with the first and second locations; and
providing selective viewing of the merged electronic medical records according to whether the
merged electronic medical records are accessed by the first or second medical service provider.
- 30 9. The method of Claim 8, wherein the merging occurs at a central data repository.
10. The method of Claim 8, wherein the merging includes linking the merged electronic medical records
via a unique patient identification.
11. The method of Claim 8, wherein the merging does not result in creation of a storage location for a
new electronic medical record.

12. The method of Claim 8, additionally comprising replicating the merged electronic medical records to selected ones of the data repositories.

13. The method of Claim 8, wherein the selective viewing includes limiting the modification of patient information in the merged electronic medical record only to patient information associated with the electronic medical records of the accessing medical service provider.

14. The method of Claim 8, wherein the electronic medical records include immunization data.

15. The method of Claim 8, wherein the first and second data repositories are located, respectively, at facilities managed by the first and second medical service providers.

Network Configuration




Fig. 1

Basic Architecture




Fig. 2




Fig. 3

Provider A's View

Patient Table						Immunizations Table		
ID	Provider	Last	First	M/F	DOB	Type	Date	...
100	A	Smith	John	M	1/1/96	MMR	1/1/97	...
						DTP	3/1/97	
						HIB	11/2/97	
101	A	Jones	Jenny	F	1/2/96	DTP	1/2/97	...
						HIB	3/2/97	
						MMR	5/2/97	
102	A	Black	Kim	F	1/3/96	DTP	1/3/97	...
						HEP-B	3/3/97	
						MMR	11/3/97	
201	B	Smith	John	M	1/1/96	DTP	9/2/97	...
						HIB	11/2/97	
						MMR	3/2/98	
202	B	Black	Kim	M	1/3/96	DTP	9/3/97	...
						MMR	11/3/97	
						HEP-B	3/3/98	
...								

Fig.4

Provider B's View

Patient Table						Immunizations Table		
ID	Provider	Last	First	M/F	DOB	Type	Date	
100	A	Smith	John	M	1/1/96	MMR	1/1/97	
						DTP	3/1/97	
						HIB	11/2/97	
102	A	Black	Kim	F	1/3/96	DTP	1/3/97	
						HEP-B	3/3/97	
						MMR	11/3/97	
200	B	Lu	Lucy	F	2/8/96	HEP-B	9/1/97	
						MMR	11/1/97	
						HIB	3/1/98	
201	B	Smith	John	M	1/1/96	DTP	9/2/97	
						HIB	11/2/97	
						MMR	3/2/98	
202	B	Black	Kim	M	1/3/96	DTP	9/3/97	
						MMR	11/3/97	
						HEP-B	3/3/98	
...								

Fig. 5

Patient Views




Fig. 6

Provider View

300

Patient Table						Immunizations Table		
ID	Provider	Last	First	M/F	DOB	Type	Date	
100	A	Smith	John	M	1/1/96	MMR	1/1/97	
						DTP	3/1/97	
						HIB	11/2/97	
101	A	Jones	Jenny	F	1/2/96	DTP	1/2/97	
						HIB	3/2/97	
						MMR	5/2/97	
102	A	Black	Kim	F	1/3/96	DTP	1/3/97	
						HEP-B	3/3/97	
						MMR	11/3/97	
...								
ID	Provider	Last	First	M/F	DOB	Type	Date	
200	B	Lu	Lucy	F	2/8/96	HEP-B	9/1/97	
						MMR	11/1/97	
						HIB	3/1/98	
201	B	Smith	John	M	1/1/96	DTP	9/2/97	
						HIB	11/2/97	
						MMR	3/2/98	
202	B	Black	Kim	M	1/3/96	DTP	9/3/97	
						MMR	11/3/97	
						HEP-B	3/3/98	

Database Server

Client Application

602

ID	Provider	Last	First	M/F	DOB	Type	Date	...
100	A	Smith	John	M	1/1/96	MMR	1/1/97	...
						DTP	3/1/97	...
						HIB	11/2/97	...
201	B	Smith	John	M	1/1/96	DTP	9/2/97	...
						HIB	11/2/97	...
						MMR	3/2/98	...

604

606

704

Presentation of Data (What users see)

ID	Provider	Last	First	M/F	DOB	Address	Dups
100	A	Smith	John	M	1/1/96	111 Park Street	1 of 2
					Type	Date	...
					MMR	1/1/97	...
					DTP	3/1/97	...
					DTP	9/2/97	...
					HIB	11/2/97	...
					MMR	3/2/98	...

706

708

What a Provider A user sees

710

ID	Provider	Last	First	M/F	DOB	Address	Dups
201	B	Smith	John	M	1/1/96	111 Park St	1 of 2
					Type	Date	...
					MMR	3/1/97	...
					DTP	3/1/97	...
					DTP	9/2/97	...
					HIB	11/2/97	...
					MMR	3/2/98	...

712

714

What a Provider B user sees

Fig.7

Patient Search Screen

801

800

Patient Search **Current Facility: ECC @ El Cajon**

Last Name: RA First Name: MA DOB: 00/00/0000 Gender: Mother's M.N. Medical Rec No. AKC ID

Last Name	First Name	Mid Name	DOB	Mother's M.N.	Gender	Address	AKC Id
RAGN	NATHAN	ADAN	11/06/1995	DAHLSTROM	M		47774
RAEBER	NATALIE	ANNE	12/06/1995	SARFIM	F		92060
RAHEMTULLA	NATALIA	MAAN	12/24/1995	MOLOO	F		44885
RAHMZADEH	NATASHA		07/31/1996	DE ALLENDE	F		120784
RAHMZADEH	NATALO		07/31/1996	DE ALLENDE	F	123 main	89985
RAKAI	NAVID	WALTER	03/30/1996		M	966 S. St.	113383
RAKEI	NAVID		03/30/1996	EMRAN	M		82652
RAMIREZ	NADEYSHA		07/25/1996		F	3921 Fink	171070
RAMIREZ	NADIA	ROUSE	10/04/1995	WILSON	M		170473

Other Record Home Record Linked = 1

22 Search Reset Sort Unlink Link Mode Exit

802

804

806

Fig. 8

Patient Demographic Screen

902 900

Patient Demographic **Current Facility: ECC @ El Cajon**

Modified	Last	First	Middle	Birth Date	Gender	Status
904	Patient	RAMIREZ	NADEYSHA		07/26/1996	Female Active
	Street	3921 Fink St.	Apt #223	City	SAN DIEGO	State CA Zip 92105
	Phone	(619) 556-1925	Msg Phone () -	Bad Ph.		Bad Add.
	SSN	- -	Med/Cal ID	WIC ID		Med Rec
906	Ethnicity	Asian/Pacific Island	Language	Unknown	Confidential	No Remember Yes
	Facility	ECC @ El Cajon	VFC State	D-Unknown	AKC ID	171070
908	Mother		Last	First	Middle	Birth Date SSN
	Mother					00/00/0000 - -
	Father					00/00/0000 - -

☐ Print ☐ IB ☐ Memo ☐ Immunization ☐ Print ☐ Sibling ☐ New ☐ Save ☐ Close

Modified	Last	First	Middle	Birth Date	Gender	Status
1/15/98	Patient	RAMIREZ	NADEYSHA		07/26/1996	U Active
	Street	5742 BATES ST. #13	Apt	City	SAN DIEGO	State CA Zip 92115
	Phone	(619) 229-0898	Msg Phone () -	Bad Ph.		Bad Add.
	Mother		Last	First	Middle	Birth Date SSN
	Mother					00/00/0000 - -
	Father					00/00/0000 - -

☒ Duplicate 1 of 1 ☐ Other Record

Fig. 9

Patient Immunization Screens

1004

1006

Patient Immunization

Current Facility: ECC @ El Cajon

AKC ID: 171078 Name: RAMIREZ, HADEYSHA DOB: 07/26/1996 Gender: F Age: 2y 7m

Family	Vaccine	Date	Lot#	Manufacturer	Vaccinator	Body Site	VIS Date	Other
1	OPV	10/07/1996					00/00/0000	<input checked="" type="checkbox"/>
2	OPV	01/06/1997					00/00/0000	<input checked="" type="checkbox"/>
3	OPV	03/17/1997					00/00/0000	<input checked="" type="checkbox"/>
1	DTP	10/07/1996					00/00/0000	<input checked="" type="checkbox"/>
2	DTP	01/06/1997					00/00/0000	<input checked="" type="checkbox"/>
3	DTP	03/17/1997					00/00/0000	<input checked="" type="checkbox"/>
1	Hib	10/04/1996					00/00/0000	<input checked="" type="checkbox"/>
2	Hib	06/06/1997					00/00/0000	<input checked="" type="checkbox"/>
1	MMR	02/22/1998	1251512	Adams	D.White	RD-Upper Rt Arm	02/01/1998	<input type="checkbox"/>
1	Hep B	03/17/1997					00/00/0000	<input type="checkbox"/>
2	Hep B	06/06/1997					00/00/0000	<input type="checkbox"/>
1	Varicella	02/22/1998	5465436	Bayer	D.White	D-Upper Lt Arm	02/01/1998	<input type="checkbox"/>

Summary Home Records Other Records New / Modified Records

Back Memo Add Delete Save Print F11 Demographic Search

Fig. 10

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
2 November 2000 (02.11.2000)


PCT

(10) International Publication Number
WO 00/65522 A3

- (51) International Patent Classification⁷: G06F 19/00
- (21) International Application Number: PCT/US00/11390
- (22) International Filing Date: 28 April 2000 (28.04.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/131,434 28 April 1999 (28.04.1999) US
- (71) Applicant: SAN DIEGO STATE UNIVERSITY FOUNDATION [US/US]: 5250 Campanile Drive, San Diego, CA 92182-1934 (US).
- (72) Inventor: KIRNAK, Alean: 732 Poinsettia Park North, Encinitas, CA 92024 (US).
- (74) Agent: HUNT, Dale, C.: Knobbe, Martens, Olson & Bear, LLP, Sixteenth Floor, 620 Newport Center Drive, Newport Beach, CA 92660 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- (88) Date of publication of the international search report:
17 January 2002

[Continued on next page]

(54) Title: ELECTRONIC MEDICAL RECORD REGISTRY INCLUDING DATA REPLICATION



(57) Abstract: In one aspect, the invention may include an electronic medical record registry system, comprising a display program (204a, 204b) capable of displaying a registered electronic medical record, a plurality of medical service provider databases (200), each medical service provider database comprising of a plurality of electronic medical records, each electronic medical record including information indicative of a patient history associated with the respective medical service provider, and a registry repository (104), having a main registry database with a plurality of registered electronic medical records. The invention may also include a match/merge program (206) capable of deduplicating the electronic medical records associated with the medical service provider databases, based on unique patient information, to form the registered electronic medical record with the most complete patient history.

WO 00/65522 A3



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/11390

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

INSPEC, EPO-Internal, WPI Data, PAJ, IBM-TDB, COMPENDEX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WANG C ET AL: "A CORBA-based object framework with patient identification translation and dynamic linking. Methods for exchanging patient data" METHODS OF INFORMATION IN MEDICINE, MARCH 1999, F.K. SCHATTAUER VERLAGSGESELLSCHAFT, GERMANY, vol. 38, no. 1, pages 56-65, XP000956350 ISSN: 0026-1270	1-12
A	page 56, left-hand column, line 1 -page 64, middle column, line 21 --- -/--	13-15

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

11 June 2001

Date of mailing of the international search report

18/06/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Schenkels, P

INTERNATIONAL SEARCH REPORT

Intern 1st Application No
PCT/US 00/11390

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	KLEINHOLZ L ET AL: "Multimedia and PACS. Setting the platform for improved and new medical services in hospitals and regions" COMPUTER ASSISTED RADIOLOGY. PROCEEDINGS OF THE INTERNATIONAL SYMPOSIUM, XX, XX, 1996, pages 313-322, XP002083080 page 313, line 1.-page 322, line 18	1,4-9
A	WO 98 13783 A (AZRON INC) 2 April 1998 (1998-04-02) page 2, line 10 -page 3, line 23	1-15
A	US 5 675 744 A (TSUJII OSAMU) 7 October 1997 (1997-10-07) column 2, line 20 -column 4, line 41	1,8
A	WANG C ET AL: "Dynamic link between ECG and clinical data by a CORBA-based query engine and temporal mapping" PROCEEDINGS OF 1997 AMIA ANNUAL FALL SYMPOSIUM THE EMERGENCE OF INTERNETABLE HEALTH CARE SYSTEMS THAT REALLY WORK, NASHVILLE, TN, USA, 25-29 OCTOBER 1997, pages 27-31, XP000957458 1997, Philadelphia, PA, USA, Hanley & Belfus, USA page 27, left-hand column, line 1 -page 29, left-hand column, line 26	1,8

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/11390

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9813783 A	02-04-1998	US 5924074 A AU 4603497 A	13-07-1999 17-04-1998
US 5675744 A	07-10-1997	JP 3075499 B JP 6215030 A	14-08-2000 05-08-1994

Form PCT/ISA/210 (patent family annex) (July 1992)

